





# HIGH PERFORMANCE **MOTORCYCLE LUBRICANTS**.

"As we are a company of enthusiasts, performance is our main priority at all times."

We are a young and dynamic company based in The Netherlands. Established by professional engineers with years of experience in the lubricants industry. Thanks to our worldwide experience we can truly share our passion. We know how a product should perform in the highest level of the racing industry, therefore we developed an exclusive range of lubricants to exceed your expectations. We create and innovate with full commitment and product dedication. As we are a company of enthusiasts, performance is our main priority at all times.

#### **OUR MISSION**

VR00AM is most probably the fastest growing new motorcycle oil product and brand worldwide. Every year we achieve a major title in racing. For a good reason: We push to achieve a technically superior motorcycle oil that meets, and goes beyond, the existing expectations. We offer our customers a performance product within the field of motorcycle oils. VR00AM is a high performance lubricant engineered for all type of Powersports vehicles: it's specially designed to deliver the next generation formula, which include resistance to thermal stress, engine cleanliness, engine protection, clutch friction durability and gear protection. Our products are developed to be above and beyond the performance standard described in current industry motorcycle specifications. We always take notice to the most appropriate specifications for motorcycle engines and their specific use. Our strategy is to gain increased market share in the oil and gas industry, while meeting global and specific lubricants demands in a responsible and active way.

# THANKS TO OUR **WORLDWIDE EXPERIENCE** WE CAN TRULY **SHARE OUR PASSION**



100%

Made in The Netherlands.



Unlimited customization possibilities.

40+

VROOAM products are exported in over 40 countries around the world.

# 4-STROKE ENGINE OIL

#### PAO-TRIPLE ESTER FORMULA

### **VR90 SERIES**

A 100% synthetic PAO - Triple Ester 4-stroke motorcycle engine oil. For all high-performance air- and water-cooled 4-stroke motorcycle engines. Including tuned racing bikes, superbikes, supersports, endurance-, street, motocross-, enduro bikes with integrated or non-integrated gearbox and wet or dry clutch. Provides ultimate engine protection and smooth clutch and gearbox operation. Quick engine response, improves power output and increased reliability at the same time. For use in the following conditions: circuit, road, city and off-road.

Viscosities and specifications: SAE 10W-50, SAE 5W-40. Specifications above standard; JASO MA tested and approved.

VROOAM® recommends this product for performance motorcycles that requires a racing dedicated product or the following specifications: API SM/SL/SJ/SH/SG/SF; JASO MA2/MA



All rights reserved. Specifications and viscosities subjected to change without notice. Under reserve of errors and misprints.

| 5

### 4-STROKE ENGINE OILS







#### MULTI ESTER FORMULA

#### **VR70** SERIES

Fully Synthetic Ester Blend 4-stroke motorcycle engine oils. For all performance air- and water-cooled 4-stroke motorcycle engines, including tuned racing bikes, superbikes, supersports, endurance-, street,- motocross-, enduro bikes with integrated or non-integrated gearbox and wet or dry clutch. Provides ultimate engine protection, smooth clutch and gearbox operation. Quick engine response, improves power output and increased reliability at the same time. For use in the following conditions: circuit, road, city and off-road.

Viscosity and performance levels: SAE 10W-40, 15W-50, 10W-60; 10W-30; API SN; JASO MA2.

VROOAM® recommends this product for performance motorcycles that requires the following specifications:

API SN/SM/SL/SJ/SH/SG/SF; JASO MA/ MA2.

#### ESTER+ FORMIII A

#### **VR50** SERIES

Synthetic Ester Blend 4-stroke motorcycle engine oils for performance air and water-cooled 4-stroke motorcycle engines, including sports-, touring-, street-, off road-, enduro- and trial bikes with integrated or non-integrated gearbox, wet or dry clutch. For use in all conditions, roads, city and off-road.

Viscosity and performance levels: SAE 10W-40, 15W-50; API SM; JASO MA2. VROOAM® recommends this product for motorcycles that require the following specifications: API SM/SL/SJ/SH/SG/SF; JASO MA/ MA2.

#### SYNTHETIC ADDITIVE FORMULA

#### **VR30** SERIES

Allround synthetic based 4-stroke motorcycle engine oils with a synthetic additive formula. Specially manufactured for riders who depend on their bike for day-to-day use and demand performance, protection, reliability and cleanliness for their modern, seasoned or classic bikes with integrated or non-integrated gearbox and wet or dry clutch.

Viscosity and performance levels: SAE 10W-40, 20W-50; API SL; JASO MA2. VROOAM® recommends this product for motorcycles that require the following specifications: API SL/SJ/SH/SG/SF; JASO MA/MA2.

Available in: 11, 20.

Available in: 1L.



SCOOTER SERIES

### **SCOOTER 4T SERIES**

Synthetic 4-stroke scooter engine oils for all types of 4-stroke scooter engines that meets the highest specifications, classifications and scooter manufacturers requirements. For scooters travelling within the city and on the highway. For smooth engine start-ups even at low temperatures. VROOAM Synthetic 4-stroke Scooter engine oil exceeds the highest specifications and classifications.

Viscosity and performance levels: SAE 5W-40, 10W-30; API SN; JASO MA2. VROOAM® recommends this product for scooters that requires the following specifications: API SN/SM/SL/ SJ/SH/SG/SF; JASO MA/MA2/MB.

PRO DIRT BIKE

### **VRX** SERIES

The VRX Series is developed for modern 4-stroke single cylinder, multi-valve off-road engines. Provides optimum torque at low-RPM, high power output and securing consistent clutch performance at low and high temperatures. Provides anti-wear protection and offers a good resistance against "fuel blow-by".

**Viscosity and specifications:** SAE 25W-50; API SG; JASO MA.







Available in: 11, 41, 201, 601, 2081, 10001.



### 100% SYNTHETIC MOTORCYCLE ENGINE OIL 20W-50

A custom formulated 100% synthetic 4-Stroke V-Twin motorcycle engine oil. Provides ultimate performance and protection for large displacement V-Twin engines in extreme operating conditions. This product is the ultimate multi-compartment "3in1" V-Twin motorcycle lubricant to meet the demands for V-Twin air- and water-cooled engines, including aftermarket turbo- and super-charged engines. Recommended for use in engine, primary chaincase and transmission, provides smooth gear shifting and effective long-term wet clutch operation. The product meets SAE 90, API GL-1 gear oil requirements and is also recommended for transmissions and primary chaincases in American V-Twin engines where 20W-50 engine oils or SAE 90, GL-1 gear oils are used. Not recommended for shaft drive hypoid gears or where an API GL-4 or GL-5 gear oil is required.

Viscosity: SAE 20W-50

### SEMI-SYNTHETIC MOTORCYCLE ENGINE OIL 25W-50

A custom formulated semi-synthetic 4-Stroke V-Twin motorcycle engine oil. Engineered to meet the specific demands of large displacement V-Twin engines. It combines the benefits of synthetic oils with the lower cost of mineral oils. Offers excellent protection at high loads and high temperatures which are typical in V-Twin engines. Ideal for use in all V-Twin engines where an economical priced product is desired and superior protection at all climates. This product offers very good engine protection by using VROOAM's unique Performance Additive Technology, which results in reducing bearing and valve train wear and keeps pistons and rings from scuffing. The engine will run much quieter and will have lower oil consumption through its unique and stable multi-grade viscosity of SAE 25W-50.

Viscosity: SAE 25W-50

### AMERICAN V-TWIN SERIES

Available in: 1l, 4l, 20l, 60l, 208l, 1000l.







### PREMIUM MINERAL MOTORCYCLE ENGINE OIL 20W-50

Custom formulated mineral 4-Stroke V-Twin motorcycle engine oil. This is an excellent V-Twin engine oil for service departments, shop- and service fill, topping off and for new and rebuilt engine break-in for V-twin motorcycles. This product provides shear, oxidation stability and deposit control for quality lubrication performance and engine protection. VR00AM's unique Performance Additive Technology means high viscosity index, less oil consumption, oxidation stability. Engines last longer and are more reliable with added wear protection to increase bearing life. Equally suitable for air or liquid cooled V-Twin engines.

Viscosities: SAE 50 & SAE 60

### MINERAL MONOGRADE MOTORCYCLE ENGINE OIL 50 & 60

These "old-fashion, old-school and hard-core" V-Twin single-grade 4-Stroke engine oils, provide performance and protection to meet the demands of (older) V-Twin air and water-cooled engines. This product will make the engine run smoother at high temperatures and will and prevents better against engine oil leaking through its high and stable viscosity. This product can only be used in the engine and not in transmission and primary chaincase.

# PRIMARY CHAINCASE AND TRANSMISSION OIL

A premium V-Twin mineral motorcycle transmission oil especially formulated for transmissions and primary chaincases with wet clutches. This product is recommended for use in American V-Twin motorcycles engines with wet diaphragm spring clutches where transmission and primary chaincase share the same lubricant. VROOAM American V-Twin Primary Chaincase & Transmission Oil provides superior transmission protection when hot, easy start when cold and provides smooth clutch performance, gearshift operations and increased reliability al at the same time.

Viscosity: SAE 20W-50





VR8

A 100% synthetic racing engine oil for high-performance air- and water cooled 2-stroke racing motorcycle engines, including tuned racing bikes, motocross, road racing and other 2-stroke Powersports racing engines. Provides excellent lubrication and performance for ultra-high RPM. Ultimate protection, cleanliness and low smoke with outstanding throttle response due to superb lubrication and low friction. For all racing premix 2-stroke racing engines with a mixing ratio as specified by the manufacturer.

Specifications and classifications: APITC. VROOAM® recommends this product for racing 2-stroke engines that requires a racing approved product.

### 2-STROKE ENGINE OILS

Available in: 1L



Available in: 11.



Available in: 11.



#### VR<sub>6</sub>

A 100% synthetic engine oil for performance airand water cooled 2-stroke motorcycle engines, including performance motocross, scooter and other 2-stroke Powersports engines. Provides excellent lubrication and performance with ultimate engine protection, cleanliness and low smoke. Suitable for Premix and oil-injection lubrication systems.

Specifications and classifications. APITC; JASO FD; ISO-L-EGD. VROOAM® recommends this product for motorcycles that requires the following specifications: APITC; JASO FD/FC/FB; ISO-L-EGD/EGC/EGB; Husqvarna; Piaggio Hexagon.

#### VR4

A Synthetic 2-stroke engine oil that meets the highest specifications and classifications. For 2-stroke motorcycles for road and off-road use. Excellent engine protection, keeps the engine clean, produces less smoke and prevents deposit formation. Suitable for oil-injection and premix systems (1:50).

Specifications and classifications: APITC; JASO FD; ISO-L-EGD. VROOAM® recommends this product for motorcycles that requires the following specifications: APITC; JASO FD/FC/FB; ISO-L-EGD/EGC/EGB; Husqvarna; Piaggio Hexagon.

### **SCOOTER 2T**

A Synthetic blend 2-stroke scooter engine oil. For scooter riders who demand superior quality and performance combined with superior engine protection and cleanliness for their 2-stroke scooter engine. Suitable for oil-injection lubrication systems.

Specifications and classifications: APITC; JASO FD; ISO-L-EGD. VR00AM® recommends this product for scooter engines that requires the following specifications: APITC; JASO FD/FC/FB; ISO-L-EGD/EGC/EGB; Global GD; 2-Stroke DFI.

### TRANSMISSION OILS

vailable in: 1



Available in: 1L.



Available in: 1L



# **TRANSMISSION OIL** 10W-40

A motorcycle gearbox oil for use in 2-stroke & 4-stroke transmissions with wet clutch. Offers superior protection at high temperatures and an easy start when cold. Provides easy and smooth clutch performance and gear shifting.

Viscosities and specifications: SAE 10W-40. Recommended when manufacturers require an SAE 10W-30, 10W-40 motor oil or SAE 80W gearbox oil.

# **TRANSMISSION OIL** 80W

A 2-stroke & 4-stroke gearbox oil for use in road and off-road Powersports separate gearboxes with wet clutch. Provides superior protection when hot, an easy start when cold and offers smooth clutch performance and gearshift.

Viscosities and specifications: SAE 80W; API GL-4.
VROOAM® recommends this product for Powersports transmissions were the constructor requires a dedicated gear lubricant oil: SAE 80W; SAE 75W; API GL-4.

# **TRANSMISSION HYPOID OIL** 80W-90

A mineral hypoid gear oil for separate gearboxes that require hypoid GL-5 gear oil. Excellent for noisy gearboxes, provides high oil film resistance even under the most severe conditions. A mineral hypoid gear oil for all gearboxes without wet clutches & hypoid rear axles without LSD.


Viscosity and specifications: SAE 80W-90; API GL-5. VROOAM® recommends this product for motorcycle transmissions that requires the following specifications: SAE 80W-90; API GL-5.



# **TRANSMISSION OIL SCOOTER** 75W-90

A synthetic based scooter transmission oil, developed for use in scooter transmissions. Provides a superior protection at high temperatures with an easy start and shifting when cold. Offers extreme pressure lubricating protection and easy and smooth transmission operation at racing and city driving conditions.

Viscosity and specifications: SAE 75W-90; API GL-4, API GL-5. VROOAM® recommends this product for motorcycle and scooter transmissions that requires the following specifications: SAE 75W-90; API GL-4, API GL-5.





# FORK OILS

Available in: 11, 201, 60



## **FORK OILS** 5W, 10W, 15W & 20W

These Fork oils are high performance fluids for optimum damping performance in all road and off road suspensions. Developed for optimal absorption at all temperatures and provides easier sliding and avoid drag in the fork. Protects against foaming, corrosion and offers outstanding lubricity for smoother and safer braking. Provides superior anti-fade damping performance over a wide temperature range. Protection of seal end elastomer compatibility.

VROOAM recommends this product for motorcycle forks that requires a SAE 5W, 10W, 15W & 20W fork oil.

### **BRAKE FLUIDS**

# **COOLANT**

Available in: 500ml



ailable in: 500ml.



vailable in: 11



# **BRAKE & CLUTCH FLUID**DOT4

A 100% synthetic brake fluid for effective and optimum brake performance under extreme conditions and maintains viscosity in cold and hot environments. High dry boiling point of 260°C. Suitable for all types of hydraulic DOT-4 brake and clutch systems.

VROOAM recommends this product for powersports brake systems that requires an DOT4/DOT3 brake fluid.

# HBP FACTORY RACING BRAKE FLUID DOT4

A 100% synthetic brake fluid for effective and optimum brake performance under extreme racing conditions and maintains viscosity in cold and hot environments. High dry boiling point of 310°C. Suitable for all types of hydraulic DOT4 brake/clutch-systems.

VROOAM recommends this product for powersports brake systems that requires an DOT4 brake fluid.

### **COOLANT READY-MIX**

For protection of motorcycle cooling systems. A ready-to-use OAT performance coolant for better heat transfer and cooler running engines. Protects cooling systems and their metallic parts from corrosion and freezing up to -38°C.

### MAINTENANCE PRODUCTS

Available in: 400m



Available in: 400ml.



Available in: 400ml.



#### **CLEAR CHAIN LUBE**

For all types of road and off-road motorcycle chains. High performance 'TACKY' lubricant for outstanding lubrication in all conditions of use (touring, race, road and off-road). Excellent penetration power for highest lubrication power. REDUCES friction for MAXIMUM power output and protection under the most extreme conditions. Excellent adhesion for minimal fling off. Resistant to water wash off and protection against corrosion and aggressive environments. Protects and saves the 0/X/Z rings and keeps them supple.

# CLEAR TACK RACING CHAIN LUBE

A 100% synthetic high performance long-lasting adhesive high speed racing chain lube. Especially recommended for karts and (endurance) road race motorcycles. Clear Tack Racing Chain Lube has excellent penetration- and lubrication properties and sticks to the chain. Contains antiwear additives and reduces rolling resistance and secures lubrication properties under high temperatures and pressures. Clear Tack Racing Chain Lube is water and rust resistant, protects the O/X/Z rings and keeps them supple.

### WHITE CHAIN LUBE

High Performance white chain lube developed for high speed Powersports racing chains. Especially recommended for road race motorcycles and karts. VR00AM White Chain Lube has excellent penetration properties and sticks to the chain. Contains PTFE and Ceramic additives and reduces rolling resistance and secures lubrication properties under high temperature and pressure. The White Chain Lube is water and rust resistant and protects the 0/X/Z rings and keeps them supple.



Available in: 500ml, 18l.



### **CHAIN CLEANER**

A powerful chain cleaner for cleaning power-sports chains. Cleaning the motorcycle chain increases the chain life and keeps it operating efficiently. VR00AM Chain Cleaner penetrates efficiently into the chain and removes old chain lube and road dirt through the soaking process. The VR00AM Chain Cleaner is safe for all types of 0/X/Z-ring chains. Use for chain protection and reducing rolling resistance the VR00AM Chain Lubes.

### **BRAKE & PARTS CLEANER**

A brake and parts cleaner for strong cleaning and degreasing of all mechanical parts and systems. VROOAM Brake & Parts Cleaner is a penetrating dry cleaner spray for quick and rapid dirt removal without leaving residue. It cleans brakes, carburettors, metal surfaces and other mechanical parts.





Available in: 400ml.



Available in: 400ml.



# MPL MULTIPURPOSE LUBRICANT

A multipurpose lubricant for maintenance, care and conservation. VR00AM Multipurpose Lubricant is a penetrating de-watering fluid for Powersports vehicles and industrial applications. It provides excellent displacement of moisture from engines, ignition systems and electrical contacts. This product loosens, cleans and lubricates inaccessible mechanisms and protects metal surfaces against corrosion and moisture.

### **PTFE SPRAY**

This spray is a lubricating oil including PTFE. It provides excellent lubrication, reduces wear and friction for easy rotation performance at high temperatures. VROOAM PTFE Spray can handle high pressure loads and won't fling off very quickly from high-speed rotating equipment. It protects against corrosion and is water resistant.

## MAINTENANCE PRODUCTS

Available in: 400ml.



Available in: 400ml.



/ailable in: 400ml.



### **SILICONE SPRAY**

A silicone spray for brilliance, protection and enhancing plastic surface colours. VR00AM Silicone Spray is a protective light lubricant to protect plastics against UV discolorations, it provides fenders a like-new gloss and protects rubbers from freezing. This product is not for use on painted surfaces.

### **POWER WAX +**

VROOAM Power Wax+ provides long protection, colour depth and quick cleaning. This product contains exclusive waxes that leads to fast and easy application. It creates a strong mirror finish and deep colour brilliance. A product for quick cleaning without water, has good adherence on vertical surfaces and even removes dirt.

# POWER FOAM MULTI-CLEANER

The VROOAM Power Foam Multi-Cleaner contains an advanced formula. This product is for multifunctional cleaning and degreasing with a wide spectrum of applications with an excellent cleaning action. Ideal for universal use for example helmets and windshields.

### MAINTENANCE PRODUCTS

Available in: 500ml, 20L



Available in: 11.



Available in: 500g.



### **BODYWORK CLEANER**

Special bodywork cleaner developed for use by professional race teams. VROOAM Bodywork cleaner efficiently removes grime, grease, oil and brake dust from plastic, polyester and carbon surfaces. This product can be applied to all water-resistant surfaces, with the exception of light metals and is not for use on heated surfaces.

For removal of rubber VROOAM recommends VROOAM MPL Multipurpose lubricant.

### **AIR FOAM FILTER OIL**

VROOAM Air Foam Filter Oil is a red coloured, easy penetrating performance air foam filter oil. This product vaporizes quickly and becomes very sticky for superior protection and optimal air flow.

# SYNTHETIC WHITE ASSEMBLY LUBE

A white, non-toxic, smooth grease like compound. Based on synthetic oil with a high solid lubricant content. Designed for use as an assembly lubricant for lubricating bushings, sliding surfaces and small open plastic or metal gears. It is also an anti-seize compound for threaded fasteners. It prevents damage during start up and protect against premature wear during the running period. This grease should be applied sparingly as a thin film, using a brush or lint-free cloth. Surfaces must be cleaned well before application. Due to its high solid content, it is not suitable for lubrication of anti-friction bearings.



Available in: 11.



### **BLUE TACK WP GREASE**

VROOAM Blue Tack WP Grease is a lithium complex grease with EP additives for medium speed operated bearings and plain bearings. It provides good resistance to water and excellent resistance to high temperatures and loads. Can be used as long life grease in roller bearings, water pumps, electric motors, couplings, cardan joints and in general wherever high efficiency greases are needed in motorcycle and watercraft applications with severe requirements.

### **TOTAL CLEANER**

A total cleaner (gel formula) for safe and strong cleaning. Removes the most resistant dirt, such as chain grease, road grime and baked-on-insects. Is an advanced non corrosive cleaning emulsion that is safe for and even protects painted surfaces, fibreglass, dark plastic material, chrome, anodised parts and aluminium.



## MAINTENANCE PRODUCTS

Available in: 31



ailable in: 200m



vailable in: 90pc



# HAND CLEANER SPECIAL

Powerful hand cleaner with natural scrubbers for removing heavy duty industrial soiling. It's unique product formulation easily removes stubborn soiling like oil, grease, tar, ink, adhesive and paint. Cleans and moisturizes the hands and prevents skin irritation.

# INSTANT SILICONE GASKET SEALANT

A quality instant silicone gasket sealant that is permanently flexible and can resist low and high temperatures ranging from -60°c to +300°c. VROOAM Instant Silicone Gasket Sealant is ideal for use on karts, cars, boats, motorcycles and bikes and forms a tough rubber seal for a wide range of tasks.

### **POWER WIPES**

Strong cleaning wipes for easy and direct use for removal of grease, fat, oil, wet paint, brake dust, soot, glue, resin, and other persistent pollution. This product is an excellent alternative to aggressive chemicals and solutions.







































# **FOLLOW US!**

facebook.com/vrooam



instagram.com/vrooam



linkedin.com/vrooam



vrooam-lubricants.com



### MADE IN **THE NEDERLANDS**



#### **VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.**

AVENTURIJN 300 | 3316 LB DORDRECHT | THE NETHERLANDS | T: +31 (0) 78 750 16 32 E: INFO@VROOAM-LUBRICANTS.COM | W: VROOAM-LUBRICANTS.COM





